

**Patient Information:** Name: \_\_\_\_\_ DOB: \_\_\_\_\_ Gender:  M  F  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Phone: \_\_\_\_\_ Alt. Phone: \_\_\_\_\_  
 Email: \_\_\_\_\_ Ht: \_\_\_\_\_ Wt: \_\_\_\_\_ Care Giver: \_\_\_\_\_ Allergies:  No Known  See Attached Charts

**Prescriber Information:** Name: \_\_\_\_\_ Address: \_\_\_\_\_ City: \_\_\_\_\_  
 State: \_\_\_\_\_ Zip: \_\_\_\_\_ NPI: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Office Contact: \_\_\_\_\_

**Statement of Medical Necessity (Please Attach All Medical Documentation)**

Date of Diagnosis: \_\_\_\_\_ ICD-10: \_\_\_\_\_  
 Other: \_\_\_\_\_  
 TB Test:  Positive  Negative Date: \_\_\_\_\_  
 Serious or Active Infection Present:  Yes  No  
 Hep B Ruled Out or Treatment Started:  Yes  No  
 Does patient have Latex Allergy:  Yes  No  
 Injection Training:  Pharmacist to Provide Training  
 Patient Trained in MD Office  
 Manufacturer Nurse Support  
 To Be Administered By a HCP  
 Product Delivery:  Patient's Home  Physician's Office  
 Pharmacy to Coordinate

Prior Failed Treatments	Drug Name & Length of Treatment
<input type="radio"/> 5-ASA	
<input type="radio"/> Biologics	
<input type="radio"/> Corticosteroids	
<input type="radio"/> Immunosuppressants	
<input type="radio"/> Methotrexate	
<input type="radio"/> NSAIDS	
<input type="radio"/> Surgery	
<input type="radio"/> Topical/Oral Antibiotics	
<input type="radio"/> UVA <input type="radio"/> UVB	
<input type="radio"/> Other	

**Prescription Information**

Medication	Dosage & Strength	Direction	Qty	Ref
<input type="radio"/> Humira	<b>Hidradenitis Suppurativa</b> <input type="radio"/> Adolescent Hidradenitis Suppurativa 80mg/0.8ml and 40mg/0.4ml Starter Pack <input type="radio"/> Adolescent Hidradenitis Suppurativa 40mg/0.4ml Starter Package <input type="radio"/> Hidradenitis Suppurativa 80mg/0.8ml Starter pack <input type="radio"/> Hidradenitis Suppurativa 40mg/0.4ml Starter pack <input type="radio"/> 40mg/0.4ml Pen <input type="radio"/> 40mg/0.4ml Prefilled Syringe	<b>Induction Dose:</b> <input type="radio"/> <b>Adolescents 12 years and older 66 lbs to &lt;132 lbs:</b> Inject 80mg SC on day 1, then 40mg SC on day 8 and every other week thereafter	3	0
		<input type="radio"/> <b>Adolescents 12 years and older &gt;132 lbs:</b> Inject two 80mg pens SC on day 1, then one 80mg pen SC on day 15	4	0
		<input type="radio"/> <b>Adolescents 12 years and older &gt;132 lbs:</b> Inject one 80mg pen SC on day 1, then 80mg pen SC on day 2, then one 80mg pen SC on day 15	3	0
		<input type="radio"/> <b>Adolescents 12 years and older &gt;132 lbs:</b> Inject one 80mg pen SC on day 1, then 80mg pen SC on day 2, then one 80mg pen SC on day 15	6	0
		<b>Maintenance Dose:</b> <input type="radio"/> <b>Adolescents 12 years and older 66 lbs to &lt;132 lbs:</b> Inject 40mg every other week <input type="radio"/> <b>Adolescents 12 years and older &gt;132 lbs:</b> Inject 40mg on day 29 then inject 40mg every week	2	
<input type="radio"/> Humira	<b>Juvenile Idiopathic Arthritis + Pediatric Uveitis</b> <input type="radio"/> 10mg/0.1ml Prefilled Syringe <input type="radio"/> 20mg/0.2ml Prefilled Syringe <input type="radio"/> 40mg/0.4ml Pen <input type="radio"/> 40mg/0.4ml Prefilled Syringe	<input type="radio"/> <b>22 lbs to &lt;33 lbs:</b> Inject 10mg SC every other week <input type="radio"/> <b>33 lbs to &lt;66 lbs:</b> Inject 20mg SC every other week <input type="radio"/> <b>≥33 lbs:</b> Inject 40mg SC every other week	2	
<input type="radio"/> Humira	<b>Pediatric Crohn's Disease</b> <input type="radio"/> Pediatric Crohn's Starter Pack: 80mg/0.8ml, 40mg/0.4ml <input type="radio"/> Pediatric Crohn's Starter Pack: 80mg/0.8ml <input type="radio"/> 20mg/0.2ml Prefilled Syringe <input type="radio"/> 40mg/0.4ml Pen <input type="radio"/> 40mg/0.4ml Prefilled Syringe	<b>Induction Dose:</b> <input type="radio"/> <b>37 lbs to &lt;88 lbs:</b> Inject one 80mg pen SC on day 1, then one 40mg pen SC on day 15 <input type="radio"/> <b>&gt;88 lbs:</b> Inject two 80mg pens SC on day 1, then one 80mg pen SC on day 15 <input type="radio"/> <b>&gt;88 lbs:</b> Inject one 80mg pen SC on day 1, then 80mg pen SC on day 2, then one 80mg pen SC on day 15	2	0
		<input type="radio"/> <b>&gt;88 lbs:</b> Inject one 80mg pen SC on day 1, then 80mg pen SC on day 2, then one 80mg pen SC on day 15	3	0
		<b>Maintenance Dose:</b> <input type="radio"/> <b>37 lbs to &lt;88 lbs:</b> Inject 20mg SC every other week <input type="radio"/> <b>&gt;88 lbs:</b> Inject 40mg SC every other week	2	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**Prescriber Signature** (I authorize pharmacy to act as my designee for initiating and coordinating insurance prior authorizations, nursing services and patient assistance programs)

Signature: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Substitution Permitted** **Dispense as Written**

Prior authorization approval and insurance benefits will be determined by the payor based upon the patient's eligibility, medical necessity, and the terms of the patient's coverage, among other things. Participation in this program is not a guarantee of prior authorization or of payment.

Confidentiality Notice: This fax is intended to be delivered only to the named addressee and contains confidential information that may be protected health information under federal and state laws. If you are not the named addressee, you should not disseminate, distribute or copy this fax. Please inform the sender immediately if you have received this document in error and then destroy this document immediately.